

*easy*

technoLASA.com





## Outsole

- SRC slip resistance according to EN ISO 20347
- TPU-Outsole, abrasion resistant
- Resistant to fuel
- Flexing zones, walking comfort

## Insole

- Replaceable **Active Comfort** insole (art. 352710), more information on page 122
- Suitable for orthopedic insoles



## Infobox

- Clog
- ESD (partially)
- FITTING - normal
- Available from size 35 - 48 (according to models)



## Technology

- Antistatic/ESD dissipative according to EN 61340-4-3 and EN 61340-5-1



Heel strap  
adjustable, foldable



Heel strap fixed with  
adjustable fastening



Perforation  
for good ventilation



**OB** 7630 **OB**  37630



**OB** 7631 **OB**  37631

**CE, EN ISO 20347 OB, A, E, FO, SRC**

- size 35-48 • smooth leather white, black, perforated • heel strap adjustable, foldable • replaceable Active Comfort insole (art. 352710)
- slip-resistant TPU outsole



**OB** 7621 **OB**  37621



**OB** 7620 **OB**  37620

**CE, EN ISO 20347 OB, A, E, FO, SRC**

- size 35-43 • microfibre patent black, white • heel strap fixed, adjustable • replaceable Active Comfort insole (art. 352710)
- slip-resistant TPU outsole



 micro



**OB** 7622 **OB**  37622

**CE, EN ISO 20347 OB, A, E, FO, SRC**

- size 35-48 • smooth leather white/blue • heel strap fixed, adjustable
- replaceable Active Comfort insole (art. 352710) • slip-resistant TPU outsole



**MICRO  
FIBRE**

