

x-light

technoLASA





Outsole

- SRC slip resistance according to EN ISO 20345
- PU outsole lighter, more stable and abrasion resistant
- Resistant to fuel
- cushioning effect optimised
- Responsive cushioning (except S3 models)

Technology

- Antistatisch/ESD dissipative nach EN 61340-5-1 und EN 61340-4-3



Heel strap
adjustable, foldable



Heel strap fixed with
adjustable fastening

Shoelaces

- Set in 3 colours (red, blue and green), length 80 cm for low shoes, suitable for all low lace-up shoes
- art. 370118



Infobox

- Clog and low shoe
- ESD
- FITTING - normal
- Available from size 35 - 48



Insole

- replaceable Active Comfort insole (art. 351620 - closed, art. 351720 - open), more information on page 122
- Suitable for orthopedic insoles





711041



7131041



711042



7131042

CE, EN ISO 20345 SB, A, E, FO, SRC

- size 35-48 • smooth leather white, smooth leather black • lining with silver ions • heel strap adjustable, foldable • instep area with elastic band
- replaceable Active Comfort insole (art. 351720) • slip-resistant PU outsole



711035



7131035



711030



7131030

CE, EN ISO 20345 SB, A, E, FO, SRC

- size 35-48 • smooth leather black, smooth leather white • lining with silver ions • heel strap fixed, adjustable • instep area with elastic band
- replaceable Active Comfort insole (art. 351720) • slip-resistant PU outsole



711031



7131031



711036



7131036

CE, EN ISO 20345 S1, SRC

- size 35-48 • smooth leather white, smooth leather black with grey breathable textile inlays • lining with silver ions
- double velcro fastening • replaceable Active Comfort insole (art. 351620) • slip-resistant PU outsole








S1  **7131058**



S1  **7131056**


CE, EN ISO 20345 S1, SRC

• size 35-48 • smooth leather white, smooth leather black with **breathable textile inlays** • lining with silver ions • replaceable Active Comfort insole (art. 351620) • slip-resistant PU outsole



S2 **711046** **S2**  **7131046**



S2 **711047** **S2**  **7131047**

CE, EN ISO 20345 S2, SRC

• size 35-48 • microfibre black, microfibre white • lining with silver ions • double velcro fastening • replaceable Active Comfort insole (art. 351620) • scuff resistant overcap • slip-resistant PU outsole



 A[®]micro



S1 **711020** **S1**  **7131020**

CE, EN ISO 20345 S1, SRC

• size 35-48 • microfibre anthracite/black and 3D mesh blue/grey • lining with silver ions • blue elastic band • replaceable Active Comfort insole (art. 351620) • slip-resistant PU outsole




 A[®]micro



S1 **711050** **S1**  **7131050**

CE, EN ISO 20345 S1, SRC

• size 35-48 • velour microfibre black/neon orange • replaceable Active Comfort insole (art. 351620) • slip-resistant PU outsole



 A[®]micro

STEEL TOE CAP

Robust material, extremely resistant to impact and compression.



SACES FASTENING

Optimal and individual fitting to the foot. A well-fitted shoe reduces the risk of falls and accidents.

S3 711860

S3 7131860

CE, EN ISO 20345 S3, SRC
• size 35-48

„ACTIVE COMFORT“ INSOLE

Replaceable, with activated carbon, good cushioning, absorbs moisture and wicks it away.



OPTIMISED FIT

Wide forefoot area to avoid irritating the toes and reduce pressure points.

METAL FREE ANTIPUNCTURE MIDSOLE

Puncture resistant and water resistant. Prevents the penetration of external objects.



S3

PU OUTSOLE

SRC - slip resistance, flexible and hard-wearing, resistant to fuels, good cushioning for great foot comfort. Well-profiled outsole.



ORTHOPAEDIC INSOLE AND SOLE ELEVATION POSSIBLE

If customised orthopaedic insoles are required, Abeba shoes remain certified

DGUV
112-191



S3 711827

S3 7131827

CE, EN ISO 20345 S3, SRC

• size 35-48 • microfibre-textile black • water-repellent • lining with silver ions • replaceable Active Comfort insole (art. 351620) • metal free penetration resistance • slip-resistant PU outsole



DGUV
112-191

micro





S2 711028

S2  7131028



S2 711029

S2  7131029

CE, EN ISO 20345 S2, SRC

• size 35-48 • microfibre white, microfibre black • lining with silver ions • instep area with elastic band • replaceable Active Comfort insole (art. 351620) • slip-resistant PU outsole



 micro



S2 711037

S2  7131037



S2 711032

S2  7131032

CE, EN ISO 20345 S2, SRC

• size 35-48 • smooth leather black, smooth leather white • lining with silver ions • instep area with elastic band • replaceable Active Comfort insole (art. 351620) • slip-resistant PU outsole



S2 711026

S2  7131026



S2 711027

S2  7131027

CE, EN ISO 20345 S2, SRC

• size 35-48 • microfibre white, microfibre black • lining with silver ions • replaceable Active Comfort insole (art. 351620) • slip-resistant PU outsole



 micro

also
available as
S3



S2

711038

S2



7131038

S3

711874

S3



7131874



S2

711033

S2



7131033

CE, EN ISO 20345 S2 / S3, SRC

- size 35-48 • smooth leather black, smooth leather white • lining with silver ions
- reflective stripes • replaceable Active Comfort insole (art. 351620)
- metal free penetration resistance as S3 • slip-resistant PU outsole

